

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 5

3/2/2021 **Revision Date Supersedes Date** 2/6/2019

SECTION 1. IDENTIFICATION

Product identifier: JAX Halo-Guard® FG-LT

Part number: HLGLT; HLGLTN

Identified uses: Lubricant where there may be incidental food contact

Uses advised against: Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

JAX INC. **Supplier:**

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

Email contact: info@jax.com

Non-emergency Phone: 262-781-8850 Fax: 262-781-3906

contact:

Emergency telephone: INFOTRAC:

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

International 011-1-352-323-3500 (collect) China 400-120-0761

SECTION 2. HAZARD(S) IDENTIFICATION

Classification: Label elements

Pictograms: Not applicable

Not applicable Signal word: **Hazard statements:** Not applicable

Precautionary statements:

Avoid release to the environment. Dispose of contents / container to an approved waste disposal plant.

Hazards not otherwise Not applicable

classified:

Additional information: Not applicable.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	<u>Chemical name</u>	<u>%</u>	CAS #	<u>Impurities</u>
	Distillates (petroleum), solvent-refined heavy paraffinic*	10-<20	64741-88-4	None
	Calcium carbonate (Dust)	5-<10	471-34-1	None
	Benzenesulfonic acid, C10-16-alkyl derivatives, calcium salts	1-<5	68584-23-6	None
	Zinc oxide	1-<5	1314-13-2	None
	Calcium dodecylbenzene sulphonate	1-<5	26264-06-2	None
	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	1-<5	68411-46-1	None
	Sulfonic acids, petroleum, calcium salts	1-<5	61789-86-4	None

SECTION 4. FIRST-AID MEASURES

First aid measures

Eye contact: Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation

persists, consult a physician.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Ingestion:

Never give anything by mouth to an unconscious person. Consult a physician.

Remove to fresh air. Give oxygen or artificial respiration if needed. If symptoms persist, call a physician. Inhalation:

Page 2 of 5 JAX Halo-Guard® FG-LT

3/2/2021 **Revision Date** 2/6/2019 **Supersedes Date**

Most important

No further relevant information available.

symptoms and effects,

both acute and delayed:

Indication of any immediate medical attention and special treatment available:

See First aid measures (above).

General information:

No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Extinguishing media include dry chemical, alcohol foam, carbon dioxide and water mist. Do not use direct stream of water.

Water may be used to keep fire-exposed containers cool.

<u>Unsuitable</u>

Specific hazards:

extinguishing media:

Do not use water spray or direct stream of water.

Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool. Prevent fire

extinguishing water from contaminating surface water or the ground water system.

Advice for firefighters: Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

spaces or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

SECTION 7. HANDLING AND STORAGE

Precautions for safe

handling:

Handle and open container with care. Ensure all equipment is electrically grounded before beginning transfer operations. Protect from contamination. Do not use in areas without adequate ventilation. Avoid inhalation, ingestion and contact with skin and eyes. Wear suitable protective equipment. Keep container closed when not in use. Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes and clothing. When working with hot material, avoid contact with skin. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep working clothes separately. Remove and wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store in out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure

limits:

Chemical name

Distillates (petroleum), solvent-refined heavy paraffinic*

Calcium carbonate (Dust)

Benzenesulfonic acid, C10-16-alkyl derivatives, calcium

salts

Zinc oxide

2 mg/m 3 (TWA), ACGIH 10 mg/m3 (STEL), ACGIH

Exposure limit and source

TWA (respirable) = 5 mg/m³ (NIOSH REL)

5 mg/m3 (oil mist), OSHA

Calcium dodecylbenzene sulphonate

Benzenamine, N-phenyl-, reaction products with 2,4,4-

trimethylpentene

Sulfonic acids, petroleum, calcium salts

Not available Not available

Not available

Not available

Exposure controls

Page 3 of 5 JAX Halo-Guard® FG-LT

3/2/2021 **Revision Date** 2/6/2019 **Supersedes Date**

Engineering controls: Good general ventilation should be sufficient to control vapors under ambient conditions. Additional ventilation or exhaust

may be required to maintain air concentrations below recommended exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of work period. Product is readily removed from

skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Cream-colored semi-solid with mild petroleum Appearance / odor:

odor

Semi-solid **Physical state:**

Odor threshold: Not available

Not available pH:

Melting / freezing point: Not available

Initial boiling point Not available

and boiling range:

Flash point: 350°F (177°C), ASTM D 92

Evaporation rate: Not available

Flammability (solid, gas): Not applicable **Upper flammability limit:** Not available

Lower flammability limit: Not available

Not available Vapor pressure:

Vapor density: Not available

Not available

0.95-1.05 Relative density:

Solubility in water: Negligible

Partition coefficient (noctanol/water):

Conditions to avoid: direct heating, dirt, chemical contamination, sunlight UV or ionizing radiation, exposure to moisture.

Autoignition temperature: Not available

Decomposition temperature: Not available

Viscosity: Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

Stable under recommended conditions. **Chemical stability:**

Possibility of

Conditions and

hazardous reactions:

materials to avoid: Incompatible materials: strong oxidizers, strong alkalis and strong acids.

Hazardous reactions are not expected to occur.

Hazardous decomposition products:

Carbon monoxide, carbon dioxide, metal oxides, nitrogen oxides (NOx), sulphur oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

No known significant effects or critical hazards. Eye contact: Skin contact: No known significant effects or critical hazards. Inhalation: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

LC₅₀ Components \underline{LD}_{50} Component

information: Not available Not available Distillates (petroleum), solvent-refined heavy

paraffinic*

Not available Not available Calcium carbonate (Dust)

Benzenesulfonic acid, C10-16-alkyl derivatives, calcium Not available Not available

salts

5000 mg/kg (oral, rat) Not available Zinc oxide Calcium dodecylbenzene sulphonate >4199 mg/kg (dermal, rabbit) Not available Benzenamine, N-phenyl-, reaction products with 2,4,4->2000 mg/kg (oral, rat) Not available

trimethylpentene

Sulfonic acids, petroleum, calcium salts >5000 mg/kg (oral, rat) Not available

3/2/2021 **Revision Date** 2/6/2019 **Supersedes Date**

Information on physical, chemical and toxicological effects

See Section 4 of this SDS for symptoms. **Symptoms:**

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: No further relevant information available.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

Numerical measures of

Not determined

toxicity:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: Acute Aquatic Hazard (cat.3), Chronic Aquatic Hazard (cat. 3): Harmful to aquatic life with long lasting effects.

L(E)C₅₀ Component Components information: Distillates (petroleum), solvent-refined heavy Not available

paraffinic*

Not available Calcium carbonate (Dust) Benzenesulfonic acid, C10-16-alkyl derivatives, calcium Not available

salts

Zinc oxide 1.1 mg/l/96h [Oncorhynchus mykiss (rainbow trout)] 22 mg/l/96h [Pimephales promelas (fathead minnow)] Calcium dodecylbenzene sulphonate

>71 mg/l/96h [Danio rerio (zebra fish)]

Benzenamine, N-phenyl-, reaction products with 2,4,4-

trimethylpentene

>100 mg/l/48h [Daphnia magna (Water flea)] Sulfonic acids, petroleum, calcium salts

Persistence and

degradability:

Not determined

Bioaccumulative

potential:

Not determined

Mobility in soil: Not available Other adverse effects: Not determined

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Hazard

methods: Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

Packing

	Proper Shipping Name:	UN Number:	Class:	Group:	Remarks:
<u>U.S. D.O.T</u> .	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
<u>IMDG</u>	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List: SARA Section 302

Extremely Hazardous

None

Substances:

SARA Section 304 **CERCLA Hazardous** Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

reporting to the National Response Center under CERCLA:

Substances: None

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis threshold value:

Chemicals: TSCA Inventory:

Zinc oxide, CAS # 1314-13-2, present at <2.5% All components are either listed or exempted from listing on the TSCA Inventory.

Page 5 of 5 JAX Halo-Guard® FG-LT **Revision Date**

3/2/2021 **Supersedes Date** 2/6/2019

U.S. State Regulations

California Proposition

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California 65 Status:

Proposition 65 at levels which would be subject to the proposition.

California

Proposition 65 Listed Components: None

International Regulations

Canada: This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI: Not available Australia: Not available Switzerland: Not available

SECTION 16. OTHER INFORMATION

Sections Revised: Section 2 and 12

Revision Date: 3/2/2021

The information and recommendations contained herein are, to the best of JAX INC.'s knowledge and belief, accurate and reliable as of the date issued. JAX INC. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC.'s interpretation of the available data.

*** END OF SDS ***