

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 5	
Revision Date	7/24/2018
Supersedes Date	3/30/2016

SECTION 1. IDENTIFICATION

Product identifier:	JAX Poly-Guard™ FG-2
Part number:	00492
Identified uses:	Lubricant where there may be incidental food contact
Uses advised against:	Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

Supplier:	JAX INC			
	W134 N5373 Campbell Driv	ve		
	Menomonee Falls, WI 5305	51 USA		
Email contact:	info@jax.com			
Non-emergency	Phone: 262-781-8850	Fax: 262-781-3906	6	
<u>contact:</u>				
Emergency telephone:	INFOTRAC:			
	North America 1-800-535-5	5053	Australia 1-300-366-961	Germany 0800-181-2926
	International 011-1-352-32	3-3500 (collect)	China 400-120-0761	

SECTION 2. HAZARD(S) IDENTIFICATION

Classification:	Skin Sensitization Cat. 1
<u>Label elements</u> Pictograms:	
Signal word:	Warning
Hazard statements:	May cause an allergic skin reaction.
Precautionary statements:	Avoid breathing fume/ mist/ vapors/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. Dispose of contents/ container to an approved waste disposal plant.
Hazards not otherwise classified:	Not applicable.

Additional information: Not applicable.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS				
Composition:	<u>Chemical name</u>	<u>%</u>	<u>CAS #</u>	Impurities
	Thickening agent	10-20	Proprietary	None
	N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine	<1	94270-86-7	None
	White mineral oil (petroleum)	Proprietary	8042-47-5	None
	Calcium carbonate (Dust)	Proprietary	471-34-1	None

SECTION 4. FIRST-AID MEASURES

First aid measures	
Eye contact:	Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation persists, consult a physican.
Skin contact:	Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before reuse and discard oil-soaked shoes. If irritation persists, consult a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Never give anything by mouth to an unconscious person. Consult a physician.
Inhalation:	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Most important symptoms and effects,	May cause an allergic skin reaction.

both acute and delayed:

Indication of any immediate medical attention and special treatment available:	No further relevant information available.
General information:	No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.
Unsuitable extinguishing media:	Do not use direct stream of water.
Specific hazards:	Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.
Advice for firefighters:	Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined space or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

protective equipment away from ignition sources. Wear protective equipment. Keep and emergency procedures:	
EnvironmentalPrevent entry into sewers, waterways or confined areas by diprecautions:disposal. Advise authorities if the product has entered or may	king or impounding. Dike far ahead of spill for later recovery and enter sewers, watercourses, or extensive land areas.
containment and cleaning upsuitable absorbent material to the spill area. Recover by pump national and/or local regulations relating to waste disposal.	ee product using non-sparking tools. Add sand, earth, or other ping or with suitable absorbents. Dispose of in accordance with he spill immediately with booms. Remove from the surface by ecialist before using dispersants.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:	Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
<u>Conditions for safe</u> storage, including any incompatibilities:	Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure	Chemical name	Exposure limit and source	
<u>limits:</u>	Thickening agent	Not available	
	N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1- methanamine	Not available	
	White mineral oil (petroleum)	5 mg/m³ (oil mist), TWA, ACGIH	
	Calcium carbonate (Dust)	TWA (respirable) = 5 mg/m ³ (NIOSH REL)	
Exposure controls			
Engineering controls:	Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective occupational exposure limits.		
Ventilation:	Use in a well-ventilated area. See Engineering Controls.		
Personal hygiene:	Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water.		
Eye protection:	Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.		
Hand protection:	Any lined non-permeable rubber gloves.		
Respiratory protection	on: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SECTION 9. PHISICAL AN	ID CHEIVIICAL PROPERTIES		
Appearance / odor:	Cream-colored tacky lubricating grease with bland	Upper flammability limit:	Not available
	odor	Lower flammability limit:	Not available
Physical state:	Semi-solid	Vapor pressure:	Not available
Odor threshold:	Not available	Vapor density:	Neteralists
рН:	Not available		Not available
Melting / freezing point	Not available	Relative density:	0.91 (typical)
Initial boiling point	Not available		
and boiling range:		Solubility in water:	Insoluble
Flash point:	480°F (248°C), ASTM D 92	Partition coefficient	Not available
		(n-octanol/water):	
Evaporation rate:	Not available	Autoignition temperature:	Not available
Flammability (solid, gas):	Not applicable	Decomposition temperature:	Not available
<u> </u>		<u>Viscosity:</u>	Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity:	Not reactive under normal conditions.
Chemical stability:	Stable under recommended conditions.
<u>Possibility of</u> <u>hazardous reactions:</u>	Hazardous reactions are not expected to occur.
Conditions and materials to avoid:	Avoid heat, sparks, open flames and oxidizing materials.
<u>Hazardous</u> <u>decomposition</u> products:	Nitrogen oxides (NOx); carbon oxides; sulphur oxides; oxides of phosphorus.

SECTION 11. TOXICOLOGICAL INFORMATION

SECTION 11. TOXICOLOGICAL INFORMATION				
Information on likely roo	utes of exposure			
Eye contact:	No known significant effects or critical hazards.			
Skin contact:	May cause an allergic skin reaction.			
Inhalation:	No known significant effects or critical hazards.			
Ingestion:	No known significant effects or critical hazards.			
Component	Components	LD ₅₀	<u>LC₅₀</u>	
information:	Thickening agent	Not available	Not available	
	N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1- methanamine	>2000 mg/kg (oral, rat)	Not available	
	White mineral oil (petroleum)	>5000 mg/kg (oral, rat)	Not available	
	Calcium carbonate (Dust)	Not available	Not available	
Information on physical,	, chemical and toxicological effects			
Symptoms:	See Section 4 of this SDS for symptoms.			
Delayed and immediate effects, and chronic effects, from short and long-terms exposure				
Effects:	fects: May cause an allergic skin reaction.			
Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.				
<u>Numerical measures of</u> toxicity:	Not determined			
SECTION 12. ECOLOGICA	L INFORMATION			
Ecotoxicity:	Not available			
Component	Components	L(E)C ₅₀		
information:	Thickening agent	Not available		

		-
	N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1- methanamine	1.4 mg/l, 24h (Daphnia magna)
	White mineral oil (petroleum)	Not available
	Calcium carbonate (Dust)	Not available
Persistence and degradability: Bioaccumulative potential:	Not determined Not determined	
Mobility in soil:	Not available	
Other adverse effects:	Not determined	

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	UN Number:	Hazard <u>Class:</u>	Packing Group:	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
IMDG	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA Section 302 Extremely Hazardous Substances:	This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List: None
SARA Section 304 CERCLA Hazardous Substances:	Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to reporting to the National Response Center under CERCLA: None
SARA Section 313 Toxic Chemicals: TSCA Inventory:	This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations: None All components are either listed or exempted from listing on the TSCA Inventory.
U.S. State Regulations California Proposition 65 Status: California Proposition 65 Listed Components:	This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition. Not applicable
International Regulations Canada:	This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the information required by those regulations.
Japan MITI: Australia:	Not available Not available

Switzerland: Not available

SECTION 16. OTHER INFORMATION

Sections Revised:	Section 2		
Revision Date:	7/24/2018		

The information and recommendations contained herein are, to the best of JAX INC's knowledge and belief, accurate and reliable as of the date issued.

JAX Poly-Guard™ FG-2	Page 5 of 5	
	Revision Date	7/24/2018
	Supersedes Date	3/30/2016

JAX INC makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC's interpretation of the available data.